

PLATINUM™ TECHNOLOGY

Remote Control Guide

for PowerRise®, PowerGlide®, PowerTilt™ and hard-wired systems




HunterDouglas

Control Like Never Before

Platinum™ Technology utilizes both infrared (IR) and radio frequency (RF) remote control signals. This guide shows you how to enjoy optimal performance using the two methods of operation.

The Hunter Douglas Remote Control



Getting Started

Using the power of Platinum™ Technology is easy. In just two simple steps, your remote is ready.



1 POWER UP

Remove the battery compartment cover on the back of the remote control. Insert two AAA alkaline batteries as diagrammed inside the battery compartment.



2 RESET BUTTON

Use a paper clip to press and quickly release the MASTER RESET button located next to the batteries. Replace the battery compartment cover. You are now ready to begin.

Point-and-Press Operation

PowerRise® and PowerTilt™ operating systems



POINT AND PRESS

Point the remote at the receiver eye (either built into the headrail or on the satellite eye). Press the UP or DOWN button to operate the window covering.

PowerGlide® operating systems




POINT AND PRESS

Point the remote at the satellite eye.

TILT AND TRAVERSE

Move the channel switch to the left position (channel 1) to tilt the vane. Move the channel switch to the right position (channel 2) to traverse the window covering.



Programming Groups



BEFORE YOU BEGIN

Partially lower or tilt the window covering.

1 PROGRAM BUTTON

Use a paper clip to press and quickly release the PROGRAM button on the back of the remote control. The indicator light at the top of the remote will blink green for approximately 30 seconds.



2 GROUP NUMBER

While the indicator light is blinking green, press the GROUP number to which you are adding the window covering.



3 UP BUTTON

Point the remote at the receiver eye (either built into the headrail or on a satellite eye) of the window covering and press the UP button. The unit will raise or “jog” to show that it has been programmed into the remote control. Repeat steps to program other window coverings.

Operating Groups



1 GROUP NUMBER

Press the GROUP number for the window covering(s) you wish to operate.



2 UP OR DOWN

Press the UP or DOWN button to operate the window covering(s) programmed to that group. The remote does not need to be pointed at the receiver eye to operate the window covering(s).



3 ALL GROUPS BUTTON

To operate all four groups of window coverings at the same time, press the ALL button before pressing the UP or DOWN button.

Removing Window Coverings from a Group



BEFORE YOU BEGIN

Partially lower or tilt the window covering(s).

1 PROGRAM BUTTON

Use a paper clip to press and quickly release the PROGRAM button on the back of the remote control. The indicator light at the top of the remote will blink green for approximately 30 seconds.



2 GROUP NUMBER

While the light is blinking green, press the GROUP number from which you are removing the window covering.



3 DOWN BUTTON

Point the remote at the receiver eye of the window covering and press the DOWN button. The unit will lower or "jog" to show that it has been removed.



MASTER RESET BUTTON

To erase all programmed groups, use a paper clip to press and quickly release the MASTER RESET button located next to the batteries. Replace the battery compartment cover.

Notes on Programming

ENTERING PROGRAMMING MODE

To activate the programming mode, use a paper clip to press and quickly release the PROGRAM button located on the back of the remote control. The programming mode is indicated by the blinking green indicator light and will stay active for approximately 30 seconds before timing out.

WINDOW COVERING OPERATION

Window coverings may not be operated while in the programming mode. Do not operate window coverings when the indicator light is blinking green.

EXITING PROGRAMMING MODE

To exit the programming mode before it times out, press and quickly release the PROGRAM button a second time. The indicator light will stop blinking green. The remote may now be used to operate your window covering(s).

Refer to the Product Owner's Guide for further details about Platinum™ Technology.

HunterDouglas

LIGHT CAN CHANGE EVERYTHING®

hunterdouglas.com

© 2007 Hunter Douglas Inc. ® Registered trademark of Hunter Douglas Inc. ™ Trademark of Hunter Douglas Inc.
Patented in the U.S. and foreign countries. Other U.S. and foreign patents pending. 5110540027 8/07

