



# Palm Beach™ Polysatin Shutters

## Order Form Key

Use the following key as a guide when completing the Palm Beach polysatin shutters order form.

**Note:** Items marked with an asterisk (\*) require a surcharge.

### 1 Color

Specify color number.

051 = White Silk                      136 = Bright White  
137 = White                            138 = Linen

### 2 Hinge Color

Specify hinge color number. The standard hinge colors are standard are shown in parenthesis.

Lift Off Hinges with removable pin:

006 = Brass Finish                      007 = Antique Brass Finish  
008 = Brushed Nickel Finish        011 = Stainless Steel\*  
051 = White Silk (051 White Silk)    136 = Bright White (136 Bright White)  
137 = White (137 White)                138 = Linen (138 Linen)

Extended Leaf Hinge: Add -E. (Available in all colors.)

### 3 Louver Size

Specify louver size: 2 1/2", 3 1/2" or 4 1/2"

### 4 IM or OM

Specify inside mount or outside mount.

**IM** = Inside Mount

Factory takes a standard framed deduction of 1/4" from width and height or a standard without frame deduction of 3/16" from width and height.

On all inside mounts, diagonal measurements must be taken. If diagonal measurements are not equal, consider making greater deductions than the standard 1/4" (framed) or 3/16" (without frame). If the diagonal measurement difference is greater than 1/2", we recommend an outside mount for that particular window opening.

**OM** = Outside Mount

Factory takes no deductions. Submitted size will be the finished shutter size.

When measuring the opening of a typical window for outside mounts, we recommend adding the width of the base of the frame plus 1/4", per framed side, to the largest width and height measurements. This provides a 1/4" reveal around the entire window opening.

Standard additions:

Frame Type	3-Sided Frame		4-Sided Frame	
	Width	Height	Width	Height
S21, L21	3 1/8"	1 9/16"	3 1/8"	3 1/8"
C21	5 7/8"	2 15/16"	5 7/8"	5 7/8"
BP, BF	4 1/2"	2 1/4"	4 1/2"	4 1/2"

### 5 Frame Type (I) = Inside Mount, (O) = Outside Mount

The following types are priced as framed:

Z21 = Standard Z-frame (I)                      Z22 = Decorative Z-frame (I)  
Z23 = Colonial Z-frame (I)                      S22 = Decorative Z Sill (I or O)  
L21 = Standard L-frame (I or O)                C21 = Deluxe Casing frame (O)  
S21 = Deluxe Casing Sill (I or O)

Rubber Flex Option: Add -RF to frame options to specify Rubber Flex (Available on Z21, Z23 and L21 if inside mount)

Cover Strip Option: Add -CS to frame options to specify Cover Strip (Available on L21 and C21)

Example: For L21 with rubber flex and cover strip order L21-RFCS

BP = Bypass track system\*                      BF = Bi-fold track system\*

BPBF = Bypass bottom floor guide\*

BPBP = Bypass bottom panel guide\*

BFB = Bi-fold track system with bottom track\*

(Factory takes 7/16" deduction for bottom track)

BO = Bypass Open\*                                BPUL = Bypass U/L Guide\*

FDC = French door cut-out\*

FDCWC = French door companion without cut-out

Available frame combinations: Z21/L21, Z23/L21, Z22/S22, and C21/S21. Must specify frame type and location in diagram.

The following types are priced as unframed:

HSS = Hang strip side-by-side                HSB = Hang strip behind

WF = Without frame

WFBP = Bypass track system without frame\*

WFBF = Bi-fold track system without frame\*

WFBPB = Bypass track system without frame, with bottom track\*

WFBFB = Bi-fold track system without frame, with bottom track\*

### 6 Rough Measure

Enter rough measurements and number of panels. This will be used as a guide for price estimates and configurations until a final measure is performed by a trained installer.

### 7 Ordered Size

Enter width and height dimensions to the nearest 1/16".


**Note:** Splices will occur on frames and valances over 180".

### 8 Number of Panels Per Opening

1 = one panel    2 = two panels    3 = three panels etc.

### 9 Panel Configuration

Print the letters of the panel configuration. Examples:



Then, in the appropriate opening box, draw the panel configuration. Include the letters of the configuration.

**Note:** For windows requiring unequal panel widths, see reference guide for details.

### 10 Frame Detail

2 = 2-sided; 3 = 3-sided (top, left, right); 4 = 4-sided

4SIL = 4-sided with bottom sill    2CAF = 2-sided Café style (left, right)

3CAF = 3-sided Café style (left, right, bottom)

4CAF = 4-sided Café style, panels part way up\*

3CSIL = 3-sided Café style with bottom sill

4CSIL = 4-sided Café style with bottom sill, panels part way up\*

DH = Double-hung\* (specify 2, 3 or 4-sided: 2DH, 3DH or 4DH)

DHHT = Double-hung with horizontal T-post\* (specify 2, 3 or 4-sided: 2DHHT, 3DHHT or 4DHHT)

3D = 3-sided door which provides 5/8" floor clearance

SA = Special applications other than those listed above. Additional notes required.

**Note:** Indicate height for Café and Double-hung styles in column 14.

### 11 Build-Out

1 = Single build-out (standard frames: 1/2", track systems: 3/4")

2 = Double build-out (standard frames: 1", track systems: 1 1/2")

Other Hang Strip/Light Stop Options:

LS21 = 1/4"                      LS22 = 1/2"                      HS21 = 3/4"                      HS22 = 1"

### 12 Tilt Bar

F = Front center

L = Lantana™ gear system

FH = Front hinge side

RH = Rear hinge side†

SP = Split tilt (Enter height of split)    \*Note: 3/4" clearance required for TruView™ rear tilt.

### 13 Valance Type (Track Systems Only)

S = Standard valance (Bi-fold only)                      D = Deluxe valance

### 14 Divider Rail/Café/Double-Hung Height

DR1 = First divider rail (required for panel heights over 60")

DR2 = Second divider rail (required for panel heights over 90")

**Note:** Enter "C" if the desired location is at the center of the panel.

### 15 T-Post

EQ = T-post placed to provide equally divided openings

For uneven placement, always start from the left, indicate distance in inches from left side of shutter to center of each T-post.

### 16 Closure System

D = Duracatch™                      M = Magnets                      N = None

All 4-sided standard units come with Duracatch panel lock system.

### 17 Astragal

S = Standard

SA = Special Application

**Note:** In the appropriate opening box draw an Astragal symbol on the panel configuration from box 9. †

**Note:** Single units come standard with flex light block. Multiple panels come standard with rear astragal and flex light block.

### 18 Rail Size

2 = 2" top and bottom rail

4 = 4" top and bottom rail

**Note:** Default rail size on panels under 36" is a 2" rail.

### Lineal Materials

Grid prices include standard frames, T-posts, buildout and hardware.

To order additional lineal materials, indicate quantity, color and length.